

LIFE SAVER

DATA SHEET

LONE WORKER PROTECTION

LifeSaver SC Lone Worker Alarm System

The SBES LifeSaver SC (Structured cabling) is a state of the art independent 'Patch and Play' lone worker alarm system that connects via an existing in-house structured cabling system. This highly versatile system provides an alarm that contacts people automatically in the event of an emergency.

The SBES LifeSaver SC supports the complete range of SBES Alarm Devices, including the world renowned SBES LifeSaver Ex/ATEX and Standard Lone Worker Alarm Units, SBES Emergency Help Points, SBES Disabled Toilet Alarms and Under-Desk Panic Buttons Etc.

Alarm notifications can be deployed in multiple ways:- SBES LifeSaver Alarm Display Panels, SMS/Text, Email, Beacon Sounders, Alarm Receiving Centres, Automated Telephone calls etc.

Utilising a building's existing Structured Cabling system provides a number of key advantages:

- **Simple to Manage**
- **Enhanced Flexibility**
- **Reduced Installation Time**
- **Ease of future Upgrades – room to grow**
- **Less Disruption to the business**
- **Reduced risk of Downtime (Trouble shooting made easy)**
- **Cost Effective**



Call the Lone Worker
Safety Specialists today

+44 (0)1737 226622


SBES Ltd Unit F, 47 Blackborough Road,
Reigate, Surrey RH2 7BU, United Kingdom



www.sbes.co.uk

LifeSaver SC Lone Worker Alarm System


SBES LifeSaver SC - Schematic Diagram



The Lone Worker Alarm Company

LifeSaver SC Lone Worker Alarm System

SBES LifeSaver SC – Multi Building Schematic Diagram



LIFE SAVER



Lone Worker Trigger



Receiver
(for Structured Cabling System)



Control Panel Display

LifeSaver Lone Worker Alarm Unit

The SBES LifeSaver Lone Worker Alarm Trigger is our most popular alarm device, it is an integral feature of our Lone Worker Alarm Systems.

Help can be summoned in two ways:-

- 1). By pressing the two buttons simultaneously on either side of the alarm unit an immediate 'Panic' alarm will be sent.
- 2). Should the unit be tilted more than 45 degrees, after 30 seconds an audible or vibration alert will begin notifying the user that the alarm unit has entered the warning stage, if the alarm unit is not returned to the upright position within 30 seconds an automatic 'Person Down' alarm will be sent.



Call the Lone Worker Safety Specialists today

+44 (0)1737 226622

SBES Ltd Unit F, 47 Blackborough Road, Reigate, Surrey RH2 7BU, United Kingdom



CERTIFICATE NO: 051850



www.sbes.co.uk